

CORRES. CONTROL  
INCOMING LTR NO.

## Department of Energy

ROCKY FLATS OFFICE  
P.O. BOX 928  
GOLDEN, COLORADO 80402-0928

JUN 28 3 13 PM '94

94-DOE-06783

ROCKY FLATS OFFICE  
CORRESPONDENCE

JUN 17 1994



## ACTION

DIST. LTR ENC

BERMAN, H.S.		
CARNIVAL, G.J.		
COPP, R.D.		
CORDOVA, R.C.		
DAVIS, J.G.		
FERRERA, D.W.		
FRANZ, W.A.		
HANNI, B.J.		
HEALY, T.J.		
HEDAHL, T.G.		
HILBIG, J.G.		
HUTCHINS, N.M.		
KELL, R.E.		
KIRBY, W.A.		
KUESTER, A.W.		
MAHAFFEY, J.W.		
MANN, H.P.		
MARX, G.E.		
McKENNA, F.G.		
MORGAN, R.V.		
PIZZUTO, V.M.		
POTTER, G.L.		
SANDLIN, N.B.		
SATTERWHITE, D.G.		
SCHUBERT, A.L.		
SETLOCK, G.H.		
STIGER, S.G.	X	
SULLIVAN, M.T.		
SWANSON, E.R.		
WILKINSON, R.B.		
WILSON, J.M.		

Mr. Gary Baughman  
Hazardous Waste Facilities Unit Leader  
Colorado Department of Health  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530

Dear Mr. Baughman:

In our letter to you dated May 24, 1994, we agreed to research the status of Operable Unit 9 (OU 9) active tanks. These tanks included two T8 tanks, two T9 tanks and T11 and T30 tanks. We have completed our assessment of these active tanks and have found that they are not, and were never in the past, regulated under RCRA. We are taking the position of not initiating RCRA Facility Investigation/Remedial Investigation field activities on these tanks at this time. These tanks are still in active use and a possibility exists that a release could occur at some time in the future which would require the Department of Energy, Rocky Flats Field Office to repeat a portion of or all of the field activities previously conducted.

At this time, we are working internally to propose a recommendation for the removal of these tanks from OU 9. We recognize that you have a concern that active tanks not regulated by RCRA and removed from the Interagency Agreement will be lost in the system, thus our proposal will also address a potential mechanism of creating a place holder for active units. We will submit our proposal to your office by Thursday, June 30, 1994.

If you have any questions, please contact Regina Sarter at 966-7252.

Sincerely,

Steve Slaten  
IAG Coordinator

Enclosure

cc w/o Enclosure:  
M. Silverman, OOM, RFFO  
L. Smith, OOM, RFFO  
D. Ruscitto, AMOWM  
S. Olinger, AMESH  
R. Sarter, ER, RFFO  
J. Burd, AEI, RFFO  
T. McLeod, AEI, RFFO  
M. McCormick, OD, RFFO  
M. Hestmark, EPA  
B. Peterman, EG&G

ADMIN RECORD

A-0009-000329

CORRES CONTROL	x	x
ADPN RECORD/080	X	3
PATS/T130G		

Reviewed for Addressee  
Corres. Control RFP6/20/94 CA  
DATE BY

Ref Ltr. #

DOE ORDER # 5400.1